



HP Business Slim Smartcard Keyboard (Z9H48AA)

Overview

Boost your productivity, make a stylish IT choice, and get integrated security features with the HP USB Slim Smartcard Keyboard, which has a built-in smart card reader and is designed to complement the latest HP Business PCs.

Bold redesign

Pair your PC with a sleek, restyled, reduced-size keyboard that packs a familiar layout, function keys, and number pad into a space-saving design. Updated key light indicators alert you when Caps lock, Num lock, and Scroll are on or off.

Quiet and durable

Keep your work environment quiet with lubricated keys, and breathe easy when minor spills happen with the built-in spill drain that makes the keyboard easy to clean. [1]

Smart security

Get a smart card reader that's conveniently located in line of sight at the top of the keyboard to help you remember to take your card out. Compatibility with Class A, B, and C smart cards helps prevent hacking and firmware changes in the keyboard.

USB connectivity

Easily connect the keyboard to any USB port on your PC. The included 6 ft (1.8 m) USB cable gives you plenty of room to move the keyboard around your workspace.

[1] Refer to cleaning instructions in user guide.

Specifications

Form factor	Low-profile design
Dimensions (W x D x H)	14.45 x 44.06 x 1.89 cm
Dimensions (W x D x H)	5.68 x 17.34 x 0.74 in
Weight	0.6± 0.08 kg
Weight	1.32 lb
UPC number	(ABA) 190780958537; (ABC) 190780958551; (ABM) 190780958612; (AC4) 190780958728
Manufacturer Warranty	1-year limited warranty.
What's in the box	Keyboard; Installation Guide; Warranty Card; Safety and Comfort Guide

Additional specifications

Acoustic pressure emissions (standby)	43-dBA maximum sound pressure level
Additional information about HP in the countries	hp.com
Buttons	104, 105, 106, 107, 109 layout (depending upon country)
Cable length	1.8 m
Cable length (imperial)	6 ft
Color	Black
Compatibility	The HP Business Slim Smartcard Keyboard is compatible with: HP ProDesk 400 G4 SFF; HP ProDesk 400 G4 MT; HP ProDesk 400 G3 DM (Mini); HP ProOne 400 G3 AIO Touch; HP ProOne 400 G3 AIO Non-Touch; HP ProDesk 600 G3 MTW; HP ProDesk 600 G3 SFF; HP ProDesk 600 G3 Desktop Mini; HP ProOne 600 G3 AIO 21.5" Non-Touch; HP EliteDesk 800 G3 TWR; HP EliteDesk 800 G3 SFF; HP EliteDesk 800 G3 35W Desktop Mini; HP EliteDesk 800 G3 65W Desktop Mini; HP EliteOne 800 G3 AIO 23.8" NT; HP EliteOne 800 G3 AIO 23.8" Touch; HP EliteOne 1000 G1 AIO
Compatible Operating Systems	Windows 10 Home 32, Windows 10 Home 64, Windows 10 Pro 32, Windows 10 Pro 64, Windows 7 Professional (available through downgrade rights from Windows 8.1 Pro Update), Windows 8.1 Enterprise 32, Windows 8.1 Enterprise 64, Windows 8.1 32, Windows 8.1 64, Windows 8.1 Pro 32, Windows 8.1 Pro 64, Windows 8 Enterprise 32, Windows 8 Enterprise 64, Windows 8 32, Windows 8 64, Windows 8 Pro 32, Windows 8 Pro 64, Windows 7 Professional (available through downgrade rights from Windows 8 Pro)
Connector description	USB Port
Datasheet photo 1	AHID/11a7a3fdc5a37d54ad831829c1fd4af96c00eb84
End of Life CO2e (kg)	0.2
Energy Usage CO2e (kg)	3
Ergonomic features	Ergonomic compliance: ISO 9241-410, TUV GS
LED	3
Operating temperature range	10 to 50°C
Power availability	100-mA maximum (with 5 VDC power supplied and three LEDs ON)
Production CO2e (kg)	5
Quickspec	http://h20195.www2.hp.com/v2/GetPDF.aspx/c05389400
Total CO2e (kg)	10
Transportation CO2e (kg)	0.2
UNSPSC code	43211706

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Aug 14, 2026 12:53 PM UTC+0000